


TITANIUM® & RHINOROOF®

START STRONG™

ROOF DECK PROTECTION SYSTEM



TITANIUM®



PROTECTION™

Start Strong with Self-Adhered Ice and Water Barrier and Synthetic Underlayment from Titanium® and RhinoRoof®

Install right from the start with the brands you know and trust. Our growing portfolio of high performance self-adhered ice and water barrier and synthetic underlayment products give you the best options for every roofing job. From asphalt to metal, you can rest assured knowing the roof deck is completely protected.

PROTECTION FROM EAVE TO PEAK

- Help protect the roof deck – during install and after
- Limited warranty
- Brand contractors know and trust
- Made by U.S. company
- Helps resist damage from weather with moisture protection*
- Increase walkability with Sure-Foot® Technology patented nodular walking surface***
- Withstand temperatures up to 240°
- Contribute to LEED® points

* Not a guarantee of performance in all weather conditions

** Titanium only

† For patent information, please visit www.owenscorning.com/patents

EAVETOPEAK.COM

ASPHALT • TILE • SLATE • METAL
STRONG PROTECTION FOR ALL ROOFS
SHAKE • CEDAR

TITANIUM®





TITANIUM®

RhinoRoof® Granulated

Provides an essential waterproof barrier that acts as a second line of defense against moisture and damage.

Titanium® PSU30

with Sure-Foot® Technology
Is a flexible, high temperature premium self-adhered underlayment that allows for easy steep slope walkability, even in wet or dusty conditions.

Titanium® FR

with Sure-Foot® Technology
Specifically designed to meet wildland-urban Class A fire codes as a critical component of a roof assembly with proprietary technology that mitigates fire spread to the roof deck under solar panels, metal, asphalt, or tile.

RhinoRoof® U20

Improved tear resistance for protection against inclement weather and foot traffic. Up to 2X stronger than competitive underlayments.*

*Test data based on average of samples tested in accordance with ASTM 4533.

Titanium® UDL25

with Sure-Foot® Technology
Creates a layer of defense for the roof deck that's 14x stronger and 30% faster to install than #30 felt.

Titanium® UDL30

with Sure-Foot® Technology
Supports the roof deck with a highly engineered, mechanically attached barrier that's 20x stronger and 30% faster to install than #30 felt.

Titanium® UDL50

with Sure-Foot® Technology
Offers the ultimate roof deck protection with a synthetic barrier that's 25x stronger and 30% faster to install than #30 felt.

Titanium® X30

with Comfort Grip™ Technology
The advanced technology of Titanium® X30 synthetic underlayment combines all-weather ease and exceptional walkability with strength and durability that other brands can't match.

SELF-ADHERED ICE AND WATER BARRIER

SYNTHETIC UNDERLAYMENT



BREAK FREE FROM FELT™


PREMIUM PROTECTION FROM THE ELEMENTS

STRONG PROTECTION FOR ALL ROOFS

SELF-ADHERED ICE AND WATER BARRIER

SYNTHETIC UNDERLAYMENT

ATTRIBUTES

	RhinoRoof® Granulated	Titanium® PSU30	Titanium® FR	RhinoRoof® U20	Titanium® UDL25	Titanium® UDL30	Titanium® UDL50	Titanium® X30™
Patented Sure-Foot® Nodular Walking Surface		✓	✓		✓	✓	✓	
Non-Woven Walking Surface				✓				✓
Self-Adhered Peel and Stick Formulation	✓	✓	✓					
Roll Width	36"	36"	36"	42"	48"	48"	48"	42"
Squares Per Roll	2	2.16	1.5	10	10	10	10	5
UV Exposure	30 days	180 days	180 days	90 days	180 days	180 days	180 days	180 days
Withstands High Temps		✓	✓	✓	✓	✓	✓	✓
Contributes to LEED Points				✓	✓	✓	✓	
Class A*	✓	✓	✓	✓	✓	✓	✓	✓
 Asphalt	✓	✓	✓	✓	✓	✓	✓	✓
 Metal		✓	✓	✓	✓	✓	✓	✓
 Tile		✓	✓		✓	✓	✓	
 Slate		✓	✓		✓	✓	✓	
 Cedar Shake		✓	✓	✓	✓	✓	✓	✓

APPLICATIONS

OWENS CORNING ROOFING AND ASPHALT, LLC
 ONE OWENS CORNING PARKWAY TOLEDO, OHIO, USA 43659
 1-800-567-9727 eavetopeak.com

Pub. No. 10023415-B Printed in U.S.A. July 2023.
 © 2023 Owens Corning. All Rights Reserved.

* See Installation Instructions for more details and class A fire resistance designation for applicable applications.
 **Product availability varies by region.
 Visit owenscorning.com/roofing for more information